

TECHNICAL INFORMATION


Tube diameter: 32mm

Power: segments 6W - 25W

Light source: 48V

CRI: >85 / IP 20

CCT:








STANDARD PIPE COLOURS



STANDARD FELT COLOURS







ILLUMINATED PARTS

MODEL	TUBE/ PIPE/ OTHER	NAME/ SHAPE	LIGHT SOURCE	POWER	NAME CODE
	TUBE	U-SHAPE WIDE	48V	14W	DT-UW
	TUBE	U-SHAPE	48V	10W	DT-U
	TUBE	C-SHAPE LONG	48V	25W	DT-CL
	TUBE	C-SHAPE	48V	13W	DT-C
	TUBE	QUARTER CIRCLE	48V	7W	DT-QC
	TUBE	STRAIGHT 800	48V	12W	DT-S800



	TUBE	STRAIGHT 400	48V	6W	DT-S400
	POWER SUPPLY UNITS	-	48V	-	D-PSU

NON-ILLUMINATED PARTS

MODEL	TUBE/ PIPE/ OTHER	NAME/ SHAPE	MATERIAL	NAME CODE
	PIPE	U-SHAPE LONG	ALUMINIUM	DP-UL
	PIPE	U-SHAPE	ALUMINIUM	DP-U
	PIPE	QUARTER CIRCLE	ALUMINIUM	DP-QC
	PIPE	C-SHAPE	ALUMINIUM	DP-C
	PIPE	C-SHAPE LONG	ALUMINIUM	DP-CL


	PIPE	STRAIGHT 100	ALUMINIUM	DP-S100
	PIPE	STRAIGHT 400	ALUMINIUM	DP-S400
	PIPE	STRAIGHT 800	ALUMINIUM	DP-S800
	MULTITRACK	-	ALUMINIUM	D-STI5

ADDITIONAL ELEMENTS

MODEL	TUBE/ PIPE/ OTHER	NAME/ SHAPE	MATERIAL	NAME CODE
	DELTA SET	FLOWER BED	ALUMINIUM	DS-FB
	DELTA ACOUSTIC	RECTANGLE	FELT	DA-815X415-K
	DELTA ACOUSTIC	OVAL	FELT	DA-170X415-K

 170	DELTA ACOUSTIC	OVAL	FELT	DA-170X415-F
 170	DELTA ACOUSTIC	CIRCLE	FELT	DA-f170-F

tube-pipe assembly



LED tube- pipe assembly is provided by an easy and intuitive „star” connector. It enables changing the illumination angle freely. It also enables electrical feed flow between the tubes without any extra cables.

fixing system

The fixing system consists of ceiling suspensions (straight or bendable holders) or wall- mount holders enabling the formulation of custom ceiling/ wall shapes.

